

# Y048 Peek Metal Polish1

## Material Safety Data Sheet

Page 1 of 5

### 1. Product And Company Information

Name:	Peek Metal Polish
Use:	Polish
Product Code:	Y048
Supplied By:	Tri-Peek International
Information Department:	PO BOX 113, Saffron Walden, Essex, CB10 2XA, UK
Emergency:	01799 524098

### 2. Composition / Information On Ingredients

Ingredient Name:	EINECS No:	CAS NO:	Content:	Symbol:	Risk (R No.)
KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	265-149-8	64742-47-8	10-30%	Xn, N	R65-51/53
ISO ALKANES			1-10%		
OLEIC ACID	204-007-1	112-80-1	1-10%		
AMMONIA SOLUTION	215-647-6	1336-21-6	<1%	C, N	R34-50
INERT FILLER			10-30%		

The full text for all R-phrases are shown in section 16.

### 3. Hazard Identification

Main Hazards:	Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.
---------------	---

# Y048 Peek Metal Polish1

## Material Safety Data Sheet

Page 2 of 5

### 4. First Aid Measures

#### Symptoms

Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Ingestion:	There may be soreness and redness of the mouth and throat.
Skin:	There may be mild irritation at the site of contact.
Eyes:	There may be irritation and redness.

#### Action

Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.
Ingestion:	Do not induce vomiting. Consult a doctor.
Skin:	Wash immediately with plenty of soap and water.
Eyes:	Bathe the eye with running water for 15 minutes.

### 5. Fire Fighting Measures

Extinguishing Media:	Carbon dioxide. Alcohol or polymer foam.
Protective Equipment:	Wear protective clothing to prevent contact with skin and eyes.

### 6. Accidental Release Measures

Protection Of Personnel:	Not required.
Environmental Precautions:	Do not discharge into drains or rivers.
Method Of Disposal:	Absorb into dry earth or sand.

### 7. Handling And Storage

Handling requirements:	Ensure there is sufficient ventilation of the area.
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.
Suitable packaging:	Must only be kept in original packaging.

### 8. Exposure Controls / Personal Protection

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Nitrile gloves.
Eye protection:	Safety glasses.
Skin protection:	Protective clothing.

# Y048 Peek Metal Polish1

## Material Safety Data Sheet

Page 3 of 5

### 9. Physical And Chemical Properties.

Appearance:	Blue Paste
Odour:	Characteristic.
pH:	10.0
Solubility:	Insoluble in water.
Relative Density:	1.03 g/cm <sup>3</sup>
Evaporation rate:	Slow

### 10. Stability And Reactivity.

Stability:	Stable under normal conditions.
Conditions To Avoid:	Heat.

### 11.Toxicological Information.

Hazardous ingredients:	AMMONIA SOLUTION...100% IVN MUS LD50 91 mg/kg ORL RAT LD50 350 mg/kg SCU MUS LDLO 160 mg/kg
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

### 12.Ecological Information

Mobility:	Non-volatile
Persistence and degradability:	No data available.
Bioaccumulative potential:	No data available.
Other adverse effects:	Harmful to aquatic organisms.

### 13.Disposal

Disposal operations:	D1 Tipping above or underground (e.g. landfill, etc.).
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# Y048 Peek Metal Polish1

## Material Safety Data Sheet

Page 4 of 5

### 14. Transport Information

EEC Regulation:	Not regulated
IMDG/UN:	Not regulated
RID/ADR:	Not regulated
ICAO/IATA:	Not regulated

### 15. Regulatory Information

Symbol and hazard indication of product:	N/A
Risk Phrases:	R51/53 – Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Safety Phrases:	<p>S2 – Keep out of the reach of children.</p> <p>S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</p> <p>S45 – In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)</p> <p>S61 – Avoid release to the environment. Refer to special instructions / safety data sheets.</p> <p><b>Note:</b> The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.</p>

### 16. Other Information

This safety data sheet is prepared in accordance with EC Directive 2001/58/EC.

#### Text of risk phrases associated with ingredients in section 2.

R65	Harmful: may cause lung damage if swallowed.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R34	Causes burns
R50	Very toxic to aquatic organisms.

Version – 02

Updated By – Chris Wren

Date – 23/06/2009

# Y048 Peek Metal Polish1

## Material Safety Data Sheet

Page 5 of 5

The information on this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.